

<b>Name of Student</b>			
<b>Name of School:</b>		<b>Course Descriptor:</b>	<b>Course #:</b>
<b>Student Level:</b>	<input type="checkbox"/> <b>Beginner/Fundamentals</b> <input type="checkbox"/> <b>Intermediate</b> <input type="checkbox"/> <b>Leadership/Capstone</b>		
<b>Clinical Rotation Start/End Dates:</b>	<b>Start Date:</b>		<b>End Date:</b>
<b>Start/End Time: (Time on the unit)</b>	<b>Start Time:</b>		<b>End Time:</b>
<b>Instructor name and contact information:</b>	<b>Name:</b>		<b>Phone/Pager:</b>
<b>Type of Student Clinical Experience</b>			<b>Medication Administration?</b>
<b>Clinical</b>	<b>Observation ONLY</b>		<b>Yes</b> <b>No</b>
			<input type="radio"/> PO meds <input type="radio"/> IM <input type="radio"/> Subcutaneous
<b>Clinical Experience</b>	<ul style="list-style-type: none"> <li>• Participation in patient care</li> <li>• May document in medical record: <input type="checkbox"/> Yes   <input type="checkbox"/> No</li> <li>• Medication administration ONLY with oversight: <input type="checkbox"/> Instructor   <input type="checkbox"/> 1:1 Preceptor</li> <li>• Nursing skills ONLY with oversight: <input type="checkbox"/> Instructor   <input type="checkbox"/> 1:1 Preceptor</li> </ul>		
<b>Student may NOT perform/use:</b> Foley catheter insertion, restraint application/discontinuation, blood admin, airborne isolation, chemotherapy, informed consent, verbal/telephone orders, emergency drugs, program PCA/epidural pumps, central line access/dressing/med admin, controlled substance admin/wasting, lift equipment, and Point of care testing ( <i>review nursing student skills list on page 2</i> ).			
<b>College/ University Restrictions (if applicable) or Course Objectives</b>			
1.			
2.			

# Student Nurse Skills List

## (Inpatient Clinical Groups)

All nursing skills will be performed under the direct supervision of a clinical instructor or preceptor. Nursing students are not allowed to perform any skills independently. This list was developed by NEPD-Clinical Affiliations System Team. Input and endorsement was provided by Infection Prevention, Nursing Practice and unit leadership from all the sites across the system.

**NOTE: Instructors may administer controlled substance oral medications only, no IV push. Instructors who will administer oral controlled substances are required to complete diversion and pain management education as stated on the [student website](#)**

Topics	Yes	No
Mobility	<ul style="list-style-type: none"> <li>Repositioning Devices, i.e., Patran/Taps</li> </ul>	<ul style="list-style-type: none"> <li>Lift Equipment</li> <li>Post Falls Assessment</li> </ul>
Urinary/Catheter	<ul style="list-style-type: none"> <li>Indwelling Urinary Catheter Care</li> </ul>	<ul style="list-style-type: none"> <li>Foley Catheter Insertion</li> </ul>
Point of Care Testing		<ul style="list-style-type: none"> <li>POC Blood Glucose Test</li> </ul>
Peripheral Lines & Central Lines	<ul style="list-style-type: none"> <li>Peripheral and Midline Line Dressing Change</li> <li>Peripheral and Midline IV Push Medications (Non-narcotic or cardiac medications i.e., Furosemide, Hydrocortisone)</li> <li>Peripheral Line Insertion</li> </ul>	<ul style="list-style-type: none"> <li>Central Line Dressing Changes</li> <li>Central Line Access</li> <li>Central Line Med Administration</li> <li>Central Line IV Push Medications</li> <li>Midline Insertion</li> </ul>
Titrateable Drips		<ul style="list-style-type: none"> <li>Insulin</li> <li>Vasopressors</li> <li>Sedation</li> <li>Analgesic</li> <li>Pitocin</li> <li>Milrinone</li> <li>Amiodarone</li> <li>Cardizem</li> <li>Heparin</li> <li>Nitroglycerin</li> <li>Dobutamine</li> <li>Dopamine</li> <li>Remicade</li> <li>IVIG</li> <li>Chemo drugs</li> </ul>
Controlled Substance Medications	<ul style="list-style-type: none"> <li>Students may               <ul style="list-style-type: none"> <li>Monitor the patient</li> <li>Gather data</li> <li>Document the 1-hour reassessment</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Student Controlled Substance Administration</li> <li>Student Controlled Substance Wasting</li> </ul>
Blood Products	<ul style="list-style-type: none"> <li>Monitoring               <ul style="list-style-type: none"> <li>Vital Signs</li> <li>Monitoring for Reaction</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Administration</li> <li>Verification</li> <li>Termination</li> </ul>
Blood Draws		<ul style="list-style-type: none"> <li>Central Lines</li> <li>Arterial Lines</li> <li>PICC Lines</li> <li>Midlines</li> <li>Ports</li> <li>Dialysis Catheters</li> <li>Venipuncture</li> <li>Heel Stick</li> </ul>
Specimen Collection	<ul style="list-style-type: none"> <li>Urine (foley)</li> <li>Urine (clean catch)</li> <li>Sputum</li> <li>Wound</li> <li>Nasal</li> <li>Naso-pharyngeal</li> <li>Throat</li> <li>Stool</li> </ul>	<ul style="list-style-type: none"> <li>Surgical Specimens</li> </ul>
Misc.	<ul style="list-style-type: none"> <li>Airborne isolation if Fit Tested by our organizations approved N95 masks.</li> </ul>	<ul style="list-style-type: none"> <li>Emergency Medications</li> <li>Telephone/Verbal Orders</li> <li>Informed Consent (2nd Verify)</li> <li>Interpret Cardiac Rhythms</li> <li>Cardiac Monitor Alarms</li> <li>PCA/epidural pump management</li> <li>IV Pump Alarms (in High-Risk Units - critical care units)</li> <li>Student Pyxis Access</li> <li>Restraint application/discontinuation</li> </ul>

 Advocate Health Care | 
  Aurora Health Care

Now part of  ADVOCATEHEALTH

Created by NEPD Created 05/2021 Revised 12/04/2023

# Student Nurse Skills List

## (Inpatient Preceptorship)

All nursing skills will be performed under the direct supervision of a clinical instructor or preceptor. Nursing students are not allowed to perform any skills independently. This list was developed by NEPD- Clinical Affiliations System Team. Input and endorsement was provided by Infection Prevention, Nursing Practice and unit leadership from all the sites across the system.

Topics	Yes	No		
<b>Mobility</b>	<ul style="list-style-type: none"> <li>Repositioning Devices, i.e., Patran/Taps</li> </ul>	<ul style="list-style-type: none"> <li>Lift Equipment</li> <li>Post Falls Assessment</li> </ul>		
<b>Urinary/Catheter</b>	<ul style="list-style-type: none"> <li>Indwelling Urinary Catheter Care</li> </ul>	<ul style="list-style-type: none"> <li>Foley Catheter Insertion</li> </ul>		
<b>Point of Care Testing</b>		<ul style="list-style-type: none"> <li>POC Blood Glucose Test</li> </ul>		
<b>Peripheral Lines &amp; Central Lines</b>	<ul style="list-style-type: none"> <li>Peripheral and Midline Line Dressing Change</li> <li>Peripheral and Midline IV Push Medications (Non-narcotic or cardiac medications i.e., Furosemide, Hydrocortisone)</li> <li>Peripheral Line Insertion</li> </ul>	<ul style="list-style-type: none"> <li>Central Line Dressing Changes</li> <li>Central Line Access (Blood draws only)</li> <li>Central Line Med Administration</li> <li>Central Line IV Push Medications</li> <li>Midline Insertion</li> </ul>		
<b>Titrateable Drips</b>	<ul style="list-style-type: none"> <li>Monitoring                             <ul style="list-style-type: none"> <li>Vital Signs</li> </ul> </li> </ul>	<table border="0"> <tr> <td> <ul style="list-style-type: none"> <li>Insulin</li> <li>Vasopressors</li> <li>Sedation</li> <li>Analgesic</li> <li>Pitocin</li> <li>Milrinone</li> <li>Amiodarone</li> <li>Cardizem</li> </ul> </td> <td> <ul style="list-style-type: none"> <li>Heparin</li> <li>Nitroglycerin</li> <li>Dobutamine</li> <li>Dopamine</li> <li>Remicade</li> <li>IVIG</li> <li>Chemo drugs</li> </ul> </td> </tr> </table>	<ul style="list-style-type: none"> <li>Insulin</li> <li>Vasopressors</li> <li>Sedation</li> <li>Analgesic</li> <li>Pitocin</li> <li>Milrinone</li> <li>Amiodarone</li> <li>Cardizem</li> </ul>	<ul style="list-style-type: none"> <li>Heparin</li> <li>Nitroglycerin</li> <li>Dobutamine</li> <li>Dopamine</li> <li>Remicade</li> <li>IVIG</li> <li>Chemo drugs</li> </ul>
<ul style="list-style-type: none"> <li>Insulin</li> <li>Vasopressors</li> <li>Sedation</li> <li>Analgesic</li> <li>Pitocin</li> <li>Milrinone</li> <li>Amiodarone</li> <li>Cardizem</li> </ul>	<ul style="list-style-type: none"> <li>Heparin</li> <li>Nitroglycerin</li> <li>Dobutamine</li> <li>Dopamine</li> <li>Remicade</li> <li>IVIG</li> <li>Chemo drugs</li> </ul>			
<b>Controlled Substance Medications</b>	<ul style="list-style-type: none"> <li>Students may                             <ul style="list-style-type: none"> <li>Monitor the patient</li> <li>Gather data</li> <li>Document the 1-hour reassessment</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Student Controlled Substance Administration</li> <li>Student Controlled Substance Wasting</li> </ul>		
<b>Blood Products</b>	<ul style="list-style-type: none"> <li>Monitoring                             <ul style="list-style-type: none"> <li>Vital Signs</li> <li>Monitoring for Reaction</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Administration</li> <li>Verification</li> <li>Termination</li> </ul>		
<b>Blood Draws</b>	<table border="0"> <tr> <td> <ul style="list-style-type: none"> <li>Central Lines</li> <li>Arterial Lines</li> <li>PICC Lines</li> </ul> </td> <td> <ul style="list-style-type: none"> <li>Ports</li> <li>Heel Stick</li> <li>Midlines</li> </ul> </td> </tr> </table>	<ul style="list-style-type: none"> <li>Central Lines</li> <li>Arterial Lines</li> <li>PICC Lines</li> </ul>	<ul style="list-style-type: none"> <li>Ports</li> <li>Heel Stick</li> <li>Midlines</li> </ul>	<ul style="list-style-type: none"> <li>Dialysis Catheters ( &amp; VIP Ports)</li> <li>Venipuncture</li> </ul>
<ul style="list-style-type: none"> <li>Central Lines</li> <li>Arterial Lines</li> <li>PICC Lines</li> </ul>	<ul style="list-style-type: none"> <li>Ports</li> <li>Heel Stick</li> <li>Midlines</li> </ul>			
<b>Specimen Collection</b>	<table border="0"> <tr> <td> <ul style="list-style-type: none"> <li>Urine (foley)</li> <li>Urine (clean catch)</li> <li>Sputum</li> <li>Wound</li> </ul> </td> <td> <ul style="list-style-type: none"> <li>Nasal</li> <li>Naso-pharyngeal</li> <li>Throat</li> <li>Stool</li> </ul> </td> </tr> </table>	<ul style="list-style-type: none"> <li>Urine (foley)</li> <li>Urine (clean catch)</li> <li>Sputum</li> <li>Wound</li> </ul>	<ul style="list-style-type: none"> <li>Nasal</li> <li>Naso-pharyngeal</li> <li>Throat</li> <li>Stool</li> </ul>	<ul style="list-style-type: none"> <li>Surgical Specimens</li> </ul>
<ul style="list-style-type: none"> <li>Urine (foley)</li> <li>Urine (clean catch)</li> <li>Sputum</li> <li>Wound</li> </ul>	<ul style="list-style-type: none"> <li>Nasal</li> <li>Naso-pharyngeal</li> <li>Throat</li> <li>Stool</li> </ul>			
<b>Misc.</b>	<ul style="list-style-type: none"> <li>Airborne isolation if Fit Tested by our organizations approved N95 masks.</li> </ul>	<ul style="list-style-type: none"> <li>Emergency Medications</li> <li>Telephone/Verbal Orders</li> <li>Informed Consent (2nd Verify)</li> <li>Interpret Cardiac Rhythms</li> <li>Cardiac Monitor Alarms</li> <li>PCA/epidural pump management</li> <li>IV Pump Alarms (in High-Risk Units - critical care units)</li> <li>Student Pyxis Access</li> <li>Restraint application/discontinuation</li> </ul>		